

# Package: sapevom (via r-universe)

August 21, 2024

**Type** Package

**Title** Group Ordinal Method for Multiple Criteria Decision-Making

**Version** 0.2.0

**Date** 2021-02-01

**Author** Raquel Coutinho [aut, cre], Marcos dos Santos [aut]

**Maintainer** Raquel Coutinho <rdouradocoutinho@gmail.com>

**Description** Implementation of SAPEVO-M, a Group Ordinal Method for Multiple Criteria Decision-Making (MCDM). SAPEVO-M is an acronym for Simple Aggregation of Preferences Expressed by Ordinal Vectors Group Decision Making. This method provides alternatives ranking given decision makers' preferences: criteria preferences and alternatives preferences for each criterion. This method is described in Gomes et al. (2020) <doi:10.1590/0101-7438.2020.040.00226524 >.

**Imports** stats

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**NeedsCompilation** no

**Date/Publication** 2021-02-01 15:20:05 UTC

**Repository** <https://raqueldourado.r-universe.dev>

**RemoteUrl** <https://github.com/cran/sapevom>

**RemoteRef** HEAD

**RemoteSha** f6d7440e618f8ef3591078b8b899c3d4ced5c851

## Contents

sapevom . . . . .	2
<b>Index</b>	<b>4</b>

---

sapevom

*SAPEVO-M*


---

### Description

Implements SAPEVO-M method

### Usage

```
sapevom(criteriaEvaluations, alternativesEvaluations)
```

### Arguments

criteriaEvaluations

a list of matrices with pairwise comparison of criteria, one matrix for each decisor.

alternativesEvaluations

a list of lists of matrices with pairwise comparison of alternatives, one list for each criterion containing one matrix for each decisor.

### Details

Criteria and alternatives must be in the same order on all the matrices. Define row names for all matrices, like on documentation example, to have a more understandable output. The pairwise comparisons must be made with a scale of seven values, from -3 to 3, to represent the preferences.

### Value

a vector with criteria weights and a dataframe with SAPEVO-M results.

### Author(s)

Raquel Coutinho <rdouradocoutinho@gmail.com>, Marcos do Santos <marcosdossantos@ime.eb.br>

### References

GOMES, C. F. S., DOS SANTOS, M., TEIXEIRA, L. F. H. S. B., SANSEVERINO, A. M. and BARCELOS, M.R. S. (2020). SAPEVO-M: a group multicriteria ordinal ranking method. Pesquisa Operacional. 40. 1-20. DOI: 10.1590/0101-7438.2020.040.00226524.

### Examples

```
criteria<- c("C1", "C2", "C3")
alternatives<- c("A1", "A2", "A3")

listofmatrices<-list(matrix(c(0,1,1,-1,0,0,-1,0,0),
                           byrow=TRUE, ncol=3, dimnames=list(criteria)),
                    matrix(c(0,2,1,-2,0,1,-1,-1,0),
                           byrow=TRUE, ncol=3, dimnames=list(criteria)))
```

```
)  
  
listoflistsofmatrices<-list(list(matrix(c(0,0,-1,0,0,2,1,-2,0),  
    byrow=TRUE, ncol=3, dimnames=list(alternatives)),  
    matrix(c(0,-1,2,1,0,0,-2,0,0),  
    byrow=TRUE, ncol=3, dimnames=list(alternatives))),  
list(matrix(c(0,1,0,-1,0,0,0,0,0),  
    byrow=TRUE, ncol=3, dimnames=list(alternatives)),  
    matrix(c(0,2,1,-2,0,1,-1,-1,0),  
    byrow=TRUE, ncol=3, dimnames=list(alternatives))),  
list(matrix(c(0,3,2,-3,0,1,-2,-1,0),  
    byrow=TRUE, ncol=3, dimnames=list(alternatives)),  
    matrix(c(0,0,3,0,0,-1,-3,1,0),  
    byrow=TRUE, ncol=3, dimnames=list(alternatives))))  
  
sapevom(criteriaEvaluations= listofmatrices, alternativesEvaluations= listoflistsofmatrices)
```

# Index

sapevom, [2](#)